



MASHPROM



GOODWAY GTS 260A

Max. Turning Diameter: Ø 280 mm
Max. Turning Length: 200 mm
Max. Swing Over Cover: Ø 280 mm
Bar Capacity: Ø 51 / 65 mm
Spindle Speed Range: 40 ~ 4,000 rpm
Turrets: 12 Station x 2
Live Tooling Stations*: 6 Stations
Live Tooling rpm: Axial 4,000 rpm, radial 4,000 rpm
CNC Control: FANUC 31i



GOODWAY GTX 2600A

Max. Swing Diameter: Ø580 mm
Max. Turning Diameter: Ø350 mm
Max. Turning Length: 606 mm
Bar Capacity: Ø65 mm
Number of Turrets: 2



TMT TTL-20B

Swing Over Bed: φ560 mm
Swing Over Saddle: φ365 mm
Max. Turning Diameter: φ400 mm
Max. Working Length: 270 mm
Bar Capacity: φ65 mm
Chuck Size: 10"
Spindle Speed: 3500 rpm

2
ADET



TMT TTL-20A

Swing Over Bed: φ560 mm
Swing Over Saddle: φ365 mm
Max. Turning Diameter: φ400 mm
Max. Working Length: 300 mm
Bar Capacity: φ52 mm
Chuck Size: 8"
Spindle Speed: 4200 rpm

TMT 20ALM C AXIS

Swing Over Bed: $\phi 560$ mm
Swing Over Saddle: $\phi 365$ mm
Max. Turning Diameter: $\phi 400$ mm
Max. Working Length: 550 mm
Bar Capacity: $\phi 52$
Chuck Size: 8"
Spindle Speed: 4200 rpm



TORNOS SCHAUBLIN 42L TM-6Y

Max Turning Length: 500 mm
Max Turning Diameter: 250 mm
Max Shank Diameter: 42 mm
Number of Turrets: 2
Number of Tools on Turret: 12
Turning Speed: 6000 rpm



TORNOS SCHAUBLIN 65 TM-6Y

Max. Turning Length: 500 mm
Max. Turning Diameter: 250 mm
Max. Shank Diameter : 42 mm
Number of Turrets : 2
Number of Tools on Turret : 12



FUJI CORPORATION CSD300

Recommended Work Size: $\phi 200 \times 100$ mm
Spindle Diameter: 3100 mm
Spindle Nose: A2-6
Spindle Speed - rpm: Max. 3630(optional 4000)rpm
Turret Tool Stations: 10 + 10
Robot Controller: FANUC
Footprint: 2260 x 2150 mm





GOODWAY SW32MSX

Max. Machining Diameter: Ø 32 mm
Number of Tools: 6
Max. Sub - Spindle Speed: 7,000 rpm
NC Controller: FANUC 31i - B Plus
Max. Drilling Capacity: Ø 13 mm
Max. Turning Length per Chuck: 315/85mm(Bush/Bushless)



CHIAH CHYUN CY2-52MB

Max. Speed of Spindle: 6000 rpm
X1/Y1/Z1 - Axis Travel: 200 / 455 / 192 mm
I.D. Tool Size: Ø 25 mm
No. of O.D. Tools: 5
No. of I.D. Tools: 5



TAIKAN T-V856S

PROCESSING

Travel Size (X axis): 800 mm
Travel Size (Y axis): 550 mm
Travel Size (Z axis): 600 mm
Spindle nose table distance: 125-725 mm
Spindle Center: 590 mm

WORKTABLE

Table Size: 1000 * 500
Max. Weight (evenly distributed): 500 Kg
T Slot (number-width*spacing): 5-18 * 100mm

SPINDLE

Motor power (rated / short time): 7.5/11 kw
Motor torque (nominal / short time): 35.8/70 Nm
Rotation speed range: 50-12000 (Direct Connection)
Diameter: Ø150mm

TAIKAN T-700B

PROCESSING

Travel Size(X axis): 700 mm
 Travel Size(Y axis): 400 mm
 Travel Size(Z axis): 340 mm
 Spindle nose to table distance: 180-520 mm
 Spindle center: 445 mm

WORK TABLE

Table Size: 800 * 400
 Max. weight (evenly distributed): 250 Kg
 T slot(number-width*spacing): 3-18 * 125 mm
 Engine power (rated/short-time): 3.7/5.5
 Engine torque (rated/short-time): 14.1/21
 Speed: 20-20000 (24000) rpm
 Diameter: $\Phi 100$ mm
 Taper: BT30



TAIKAN L-35M

PROCESSING RANGE

Maximum tool rotation diameter (mm): $\phi 630$
 Max machining diameter (mm): $\phi 350$
 Max machining length (mm): 750
 max bar diameter (mm): $\phi 51$

THINARY

X-axis travel (mm): 200
 Y-axis travel (mm): 100
 Z-axis travel (mm): 780

SPINDLE

Output power (kw): 11/15
 Spindle head type: A2-6
 Maximum spindle speed: 4000 rpm



TESTERELER / SAW MACHINES

İZTES 450 PLC

Capacity (Round) : $\varnothing 450$ mm
 Capatiy (Flat) 90*: 480 mm
 MBlade Size: 41 x 1,3 x 5740 mm
 Blade Speed: 20-80 m/min





GILDEMEISTER AS-16

2000 - 5000 rpm
MAX DİA 16

2
ADET



A.H SCHÜTTE SF42

2000 - 5000 rpm
MAX DİA 16


2
ADET



GILDEMEISTER AS-25

2000 - 5000 rpm
MAX DİA 25

2
ADET



INDEX MS25

2000 - 5000 rpm
MAX DİA 42



GILDEMEISTER AS-48

2000 - 5000 rpm
MAX DİA 48

2
ADET



A.H SCHÜTTE SF26 DNT

2000 - 5000 rpm
MAX DİA 26



A.H SCHÜTTE AF32 DNT

2000 - 5000 rpm
MAX DİA 32



A.H SCHÜTTE SF20 DNT

2000 - 5000 rpm
MAX DİA 20



A.H SCHÜTTE AF32 DNT

8 MİLLİ
EIGHT SPINDLES



MASHPROM

is a manufacturer of hydraulic products and details. We make over a thousand types of cylinders, pumps, valves, blocks, pistons, rods, axles and others, as well as new ones details according to your needs of the client.

MASHPROM

hidrolik ürünlerin ve detayların üreticisidir. Binlerce çeşit silindir, pompa, vana, blok, piston, çubuk, dingil ve diğer ürünleri üretiyoruz. Ayrıca müşterinin ihtiyaçlarına göre yeni detaylar da tasarlıyoruz.



M MASHPROM

İLETİŞİM!



+90 533 923 81 62
+90 535 035 36 85



www.mashprom.com.tr
info@mashprom.com.tr



EDİRNE DOMURCALI OSB
7. SK NO:9 SÜLOĞLU/EDİRNE